




Facilitating the adoption of HAMS through training @3S Clustering Event (Crete)

Francesco Lubrano



SAFECARE Global Architecture



Hospital Availability Management System (HAMS)

Provide a general overview of the hospital through the home page


=	HAMS - Hospital Availabili	ty Management System			SAFZARE
÷	Home		SAFECARE APH	/I Hopital	
5	Dashboard	Select Facility Batiment Timone 🎝			Ŧ
000	Tree visualisation	DASHBOARD TREE VIEW			
0	Incidents & Impacts			B M 131	181 155-157
50	Inspect asset		Facility Status	-	133 141 147 149 151 155 157 Rus
	Training Mode	Facility		Info	Count Saint Perrel
•	Logout	Batiment Timone 2			and Drace tests
	HAVE	Me	ssages Received		
		Type of Message	Received	lie Je Brochier	
		Incidents	3	hr Decapage	Direction Genérale de l'Assistance Publique
		Impacts	2		24 Höpitaux de Marseille
		Responses	3	Rue Jean Prunel	Leaflet © OpenStreetMap contributors

SAF

Hospital Availability Management System (HAMS)

Provide detailed information about the status and availability of hospital main assets

			Batimen	nt Timone 2				
Facility Status							REFRESH VIEW	ATE CDB
DEPARTMENTS								
🛱 OPERATIONS	Department ava	ilability			Filter			
	Department	Availability	Status	Stability	Bed availability	Staff i		
	BLOC OPERATOIRE	Available	green	stable	1			
	PHARMACIE	Available	green	stable	1			
	LABORATOIRE	Available	green	stable	1			
	CONSULTATION	Available	green	stable	1			servic
	HOSPITALISATION	Available	green	stable	1			
	IMAGERIE	Available	green	stable	1			
	URGENCES	Available	green	stable	1			ive Ca
	SAMU	Available	green	stable	1		Availal	
						_		ble



Hospital Availability Management System (HAMS)

Provide near-real time information concerning detected incidents, impacts and response reports, allowing users to inspect assets properties and protections

Loopital Availability Management Sy

		maismey	management oyotem							
	Home									
	Dashboard		Incidents Data						REFRESH	I VIEW
	Tree visualisation		Hide closed incidents		Filter					Q
	Incidents & Impacts		ID	Origin Asset	Туре	Severity	Date \downarrow	Status	Message	Impacts
	Inspect asset	ß	f2325945-8628-4dfc-98c5- 2b3747e734a0	Controleur d'acces local electrique (appareil)	breaking through access control by force	very high	29/9/2021, 10:44:39 CEST	pending	0	~
	Training Mode		4ac15ed4-d206-4499-9134- e72012fb024f	Controleur d'acces local electrique (appareil)	Fraudulent use of access control key	very high	29/9/2021, 10:17:23 CEST	pending	0	^
<u> </u>	Logout		Impact Messages for Ir	ncident 4ac15ed4-d206-4499-	9134-e72012fb024f					
	HAVE		ID			Message	Asse	t Relations	F	tesponse
			b3b2dc5c-8821-4393-80f9-7eabc	163aa5e		0		0'0		~
							Rows per page:	10 💌	1-2 of 2	< >
			<u></u>		h	ttpc·//	hams-trai	ning	modo	c2 o
								IIIIg-I	noue	<u>.35.</u> e
					<u>X</u>	<u>.num#/</u>	/training			

SAFTA

Thank you !

More details available on:

- Our website: <u>https://www.safecare-project.eu/</u>

- Twitter: @SafecareP
- -LinkedIn: SAFECARE Project

Francesco Lubrano francesco.lubrano@linksfoundation.com

